



LABORATORY REPORT

Mills Pharmacy & Apothecary
1744 West Maple Road Ste B
Birmingham, MI 48009

Phone: 248-633-2880

Fax: 248-633-2881

Date Received: 8/20/2026

Account #: E15716

Sample Name: BPC-157 3000mcg Injection Solution-CARTRIDGE

Lot #: 1633842

Storage Conditions: Refrigerated

Submission #: ETX-260819-0481



Chemistry Tests:

Potency (Peptides) (BPC-157 : 3000.00000 mcg/mL)

Date Started: 9/1/2026

Date Completed: 9/2/2026

Work Instruction #: Not Provided

Measured Concentration:

3159 mcg/mL

Potency:

105.3 %

Method:

USP<621>

Disclaimer:

The potency method(s) used for testing passed system suitability requirements per Eagle SOP 2.500.001. Product-specific method validation is not available for this sample.

Microbiology Tests:

ScanRDI Sterility Test

Date Started: 8/20/2026

Date Completed: 8/25/2026

Method Suitability: ETX-260709-0338

Result:

Pass

USP <85> Bacterial Endotoxin Test

Date Started: 8/21/2026

Date Completed: 8/22/2026

Numerical Value :

<2 EU/mL

Endotoxin Limit:

1500 EU/mL

Result:

Pass

Respectfully submitted,

EAGLE ANALYTICAL SERVICES INC.

Alison Eng, Quality Control Manager

Results apply only to the tested sample(s) as received.