



LABORATORY REPORT

Mills Pharmacy & Apothecary
1744 West Maple Road Ste B
Birmingham, MI 48009

Phone: 248-633-2880

Fax: 248-633-2881

Date Received: 8/25/2026

Account #: E15716

Sample Name: Wolverine - BPC-157 3000mcg/ TB-500
4500mcg/mL Injection Solution

Lot #: 1634586

Storage Conditions: Refrigerated

Submission #: ETX-260821-0428



Chemistry Tests:

Potency (Peptides) (BPC-157 : 3000.00000 mcg/mL)

Date Started: 9/1/2026

Date Completed: 9/2/2026

Work Instruction #: Not Provided

Measured Concentration: 3027 mcg/mL

Potency: 100.9 %

Method: USP<621>

Disclaimer: The potency method(s) used for testing passed system suitability requirements per Eagle SOP 2.500.001. Product-specific method validation is not available for this sample.

Potency (Peptides) (TB-500 : 4500.00000 mcg/mL)

Date Started: 9/1/2026

Date Completed: 9/2/2026

Work Instruction #: Not Provided

Measured Concentration: 4725 mcg/mL

Potency: 105.0 %

Method: USP<621>

Disclaimer: The potency method(s) used for testing passed system suitability requirements per Eagle SOP 2.500.001. Product-specific method validation is not available for this sample.

Microbiology Tests:

ScanRDI Sterility Test

Date Started: 8/25/2026

Date Completed: 8/26/2026

Method Suitability: ETX-260421-0389

Result: Pass

USP <85> Bacterial Endotoxin Test

Date Started: 8/26/2026


Date Completed: 8/27/2026

Numerical Value : 5.06 EU/mL

Endotoxin Limit: 1500 EU/mL

Result: Pass

Respectfully submitted,
EAGLE ANALYTICAL SERVICES INC.



Alison Eng, Quality Control Manager

Results apply only to the tested sample(s) as received.